



Order #: 85511  
Retail Batch #:  
02192024

**CERTIFICATE OF ANALYSIS**  
ISO/IEC: 17025:2017 Accreditation #:  
103104  
License #: CMTL-0004

### Order Information


Order #: 85511  
Order Name: RT 362 Full Panel  
Retail Batch #: 02192024  
Received: 02/23/2024 12:21:46  
Complete: 02/29/2024 12:38:25

### Batch Information

Create Date: 02/19/2024  
Exp. Date: 08/19/2025  
Size: 2

Total Qty.: 0  
Matrix: Gummy  
Pickup Weight: N/A

<b>CANNABINOIDS</b> NOT TESTED	<b>LABEL CLAIM</b> NOT TESTED	<b>MICROBIAL ANALYSIS</b> PASS
<b>RESIDUAL SOLVENTS</b> PASS	<b>AGRICULTURAL AGENTS</b> PASS	<b>HEAVY METAL ANALYSIS</b> PASS
<b>TERPENES</b> NOT TESTED	<b>MOISTURE ANALYSIS</b> TESTED	<b>WATER ACTIVITY</b> TESTED
<b>FILTH &amp; FOREIGN</b> NOT TESTED	<b>HOMOGENEITY</b> NOT TESTED	<b>MYCOTOXIN ANALYSIS</b> PASS



<b>NT</b> Total THC
<b>NT</b> Total CBD
<b>NT</b> Total Cannabinoids

**Diana Asensio, M.S.**

Lab Director



**ACT Laboratories Florida**  
4001 SW 47th Avenue, Suite 208  
Davie, FL 33314  
(954) 514-9343





Order #: 85511  
Retail Batch #:  
02192024

**CERTIFICATE OF ANALYSIS**  
ISO/IEC: 17025:2017 Accreditation #:  
103104  
License #: CMTL-0004

### Agricultural Agents

GC-MS/MS

**PASS**

#### Sample Prep

Tech: 4090  
SOP: 402  
Batch Number: 62348  
Batch Date: 02/22/2024 13:06:57

#### Sample Analysis

Date/Time: 02/26/2024 12:08:58  
Tech: 2816  
SOP: 402  
Final Weight: 0.5139 g  
Volume: 10 ml

ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LEVEL (ppm)	RESULTS (ppm)
Captan	0.07/0.1	1	3	ND
Chlordane	0.01/0.1	1	0.1	ND
Chlorfenapyr	0.01/0.1	1	0.1	ND
Coumaphos	0.01/0.1	1	0.1	ND
Cyfluthrin	0.01/0.1	1	1	ND
Cypermethrin	0.01/0.1	1	1	ND
Methyl parathion	0.01/0.1	1	0.1	ND
Pentachloronitrobenzene	0.01/0.1	1	0.2	ND

### MYCOTOXIN ANALYSIS

LC-MS/MS

**PASS**

#### Sample Prep

Tech: 4090  
SOP: 432  
Batch Number: 62349  
Batch Date: 02/22/2024 13:07:56

#### Sample Analysis

Date/Time: 02/26/2024 16:20:11  
Tech: 3445  
SOP: 424  
Final Weight: 0.1033 g  
Volume: 2.5 ml

ANALYTE	LOD/LOQ (ppb)	DIL.	ACTION LEVEL (ppb)	RESULTS (ppb)
Aflatoxin B1	2/10	1	20	ND
Aflatoxin B2	2/10	1	20	ND
Aflatoxin G1	2/10	1	20	ND
Aflatoxin G2	2/5	1	20	ND
Ochratoxin A	2/10	1	20	ND

**Diana Asensio, M.S.**

Lab Director



**ACT Laboratories Florida**  
4001 SW 47th Avenue, Suite 208  
Davie, FL 33314  
(954) 514-9343



**CERTIFICATE OF ANALYSIS**

ISO/IEC: 17025:2017 Accreditation #:

103104

License #: CMTL-0004



Order #: 85511  
Retail Batch #:  
02192024

**Agricultural Agents**  
LC-MS/MS **PASS**

**Sample Prep**

Tech: 4090  
SOP: 432  
Batch Number: 62349  
Batch Date: 02/22/2024 13:07:56

**Sample Analysis**

Date/Time: 02/26/2024 16:20:11  
Tech: 3445  
SOP: 424  
Final Weight: 0.1033 g  
Volume: 2.5 ml

ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LEVEL(ppm)	RESULTS (ppm)	ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LIMIT(ppm)	RESULTS (ppm)
Abamectin B1a	0.002/0.035	1	0.3	ND	Imazalil	0.002/0.01	1	0.1	ND
Acephate	0.002/0.04	1	3	ND	Imidacloprid	0.002/0.002	1	3	ND
Acequinocyl	0.002/0.002	1	2	ND	Kresoxim-methyl	0.002/0.002	1	1	ND
Acetamiprid	0.002/0.002	1	3	ND	Malathion	0.01/0.04	1	2	ND
Aldicarb	0.002/0.01	1	0.1	ND	Metalaxyl	0.002/0.004	1	3	ND
Azoxystrobin	0.002/0.04	1	3	ND	Methiocarb	0.002/0.01	1	0.1	ND
Bifenazate	0.002/0.002	1	3	ND	Methomyl	0.002/0.002	1	0.1	ND
Bifenthrin	0.002/0.002	1	0.5	ND	Mevinphos	0.009/0.036	1	0.1	ND
Boscalid	0.01/0.05	1	3	ND	Myclobutanil	0.002/0.04	1	3	ND
Carbaryl	0.002/0.004	1	0.5	ND	Naled	0.002/0.01	1	0.5	ND
Carbofuran	0.002/0.01	1	0.1	ND	Oxamyl	0.002/0.002	1	0.5	ND
Chlorantraniliprole	0.002/0.01	1	3	ND	Paclobutrazol	0.002/0.004	1	0.1	ND
Chlormequat chloride	0.002/0.004	1	3	ND	Permethrins	0.002/0.01	1	1	ND
Chlorpyrifos	0.002/0.01	1	0.1	ND	Phosmet	0.002/0.002	1	0.2	ND
Clofentezine	0.002/0.002	1	0.5	ND	Piperonyl Butoxide	0.002/0.002	1	3	ND
Daminozide	0.01/0.04	1	0.1	ND	Prallethrin	0.002/0.01	1	0.4	ND
Diazinon	0.002/0.01	1	0.2	ND	Propiconazole	0.002/0.04	1	1	ND
Dichlorvos	0.002/0.04	1	0.1	ND	Propoxur	0.002/0.01	1	0.1	ND
Dimethoate	0.002/0.002	1	0.1	ND	Pyrethrins	0.001/0.013	1	1	ND
Dimethomorph	0.001/0.002	1	3	ND	Pyridaben	0.002/0.002	1	3	ND
Ethoprophos	0.002/0.01	1	0.1	ND	Spinetoram	0.001/0.003	1	3	ND
Etofenprox	0.002/0.002	1	0.1	ND	Spinosad	0.001/0.001	1	3	ND
Etoxazole	0.002/0.002	1	1.5	ND	Spiromesifen	0.002/0.002	1	3	ND
Fenhexamid	0.01/0.04	1	3	ND	Spirotetramat	0.002/0.01	1	3	ND
Fenoxycarb	0.002/0.004	1	0.1	ND	Spiroxamine	0.002/0.04	1	0.1	ND
Fenpyroximate	0.002/0.002	1	2	ND	Tebuconazole	0.01/0.04	1	1	ND
Fipronil	0.002/0.004	1	0.1	ND	Thiacloprid	0.002/0.002	1	0.1	ND
Fonicamid	0.002/0.01	1	2	ND	Thiamethoxam	0.002/0.01	1	1	ND
Fludioxonil	0.002/0.004	1	3	ND	Trifloxystrobin	0.002/0.002	1	3	ND
Hexythiazox	0.002/0.004	1	2	ND					

**Diana Asensio, M.S.**

Lab Director



**ACT Laboratories Florida**

4001 SW 47th Avenue, Suite 208  
Davie, FL 33314  
(954) 514-9343



**CERTIFICATE OF ANALYSIS**

ISO/IEC: 17025:2017 Accreditation #: 103104  
License #: CMTL-0004



Order #: 85511  
Retail Batch #: 02192024

**RESIDUAL SOLVENTS**  
HS-GC-MS **PASS**

**Sample Prep**

Tech: 2816  
SOP: 405  
Batch Number: 62378  
Batch Date: 02/27/2024 16:25:39

**Sample Analysis**

Date/Time: 02/29/2024 10:50:26  
Tech: 2816  
SOP: 405  
Final Weight: 0.0474 g  
Volume: 1 ml

ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LIMIT (ppm)	RESULTS (ppm)	ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LIMIT (ppm)	RESULTS (ppm)
1,1-Dichloroethene	0.6/0.63	1	8	ND	Heptane	6/140	1	5000	ND
1,2-Dichloroethane	0.012/0.12	1	2	ND	Hexanes	0.06/18	1	250	ND
Acetone	9/140	1	750	ND	Isopropyl alcohol	3/140	1	500	<LOQ
Acetonitrile	0.72/25	1	60	<LOQ	Methanol	6/100	1	250	<LOQ
Benzene	0.06/1	1	1	ND	Methylene chloride	1.5/1.5	1	125	ND
Butane	48/50	1	5000	ND	Pentane	9/140	1	750	ND
Chloroform	0.2/1	1	2	ND	Propane	30/30	1	5000	ND
Ethanol	12/140	1	5000	1565.118	Toluene	0.9/53	1	150	ND
Ethyl acetate	2.4/140	1	400	ND	Total xylenes	1.8/130	1	150	ND
Ethyl ether	6/140	1	500	ND	Trichloroethylene	0.3/1	1	25	ND
Ethylene oxide	0.6/2	1	5	ND					

**HEAVY METAL ANALYSIS**  
ICP-MS **PASS**

**Sample Prep**

Tech: 3396  
SOP: 428  
Batch Number: 62369  
Batch Date: 02/26/2024 16:11:23

**Sample Analysis**

Date/Time: 02/27/2024 14:56:06  
Tech: 3445  
SOP: 428  
Final Weight: 0.207 g  
Volume: 60 ml

ANALYTE	LOD/LOQ (ppb)	DIL.	ACTION LIMIT (ppb)	RESULTS (ppb)
Arsenic	20/75	1	1500	ND
Cadmium	20/75	1	500	ND
Lead	20/75	1	500	<LOQ
Mercury	20/75	1	3000	ND

**Diana Asensio, M.S.**

Lab Director



**ACT Laboratories Florida**  
4001 SW 47th Avenue, Suite 208  
Davie, FL 33314  
(954) 514-9343





Order #: 85511  
Retail Batch #:  
02192024

**CERTIFICATE OF ANALYSIS**  
ISO/IEC: 17025:2017 Accreditation #:  
103104  
License #: CMTL-0004

**MICROBIAL ANALYSIS**

**PASS**

**Sample Prep**

Tech: 4090  
SOP: 406

Batch Number: 62359  
Batch Date: 02/23/2024 13:01:42

Date/Time: 02/25/2024 15:42:14  
Tech: 4302  
SOP: 406

**Sample Analysis**

Final Weight: 1.0142 g

ANALYTE	TEST METHOD	ALLOWABLE CRITERIA	ACTUAL RESULT	PASS/FAIL
Total yeast and mold	qPCR	NA	NOT DETECTED	PASS

**Sample Prep**

Tech: 4090  
SOP: 406

Batch Number: 62360  
Batch Date: 02/23/2024 13:01:54

Date/Time: 02/26/2024 17:48:58  
Tech: 4302  
SOP: 406

**Sample Analysis**

Final Weight: 1.0193 g

ANALYTE	TEST METHOD	ALLOWABLE CRITERIA	ACTUAL RESULT	PASS/FAIL
Salmonella	qPCR	< 1 CFU/g	NOT DETECTED	PASS
STEC e. coli	qPCR	< 1 CFU/g	NOT DETECTED	PASS

**Sample Prep**

Tech: 4090  
SOP: 406

Batch Number: 62360  
Batch Date: 02/23/2024 13:01:54

Date/Time: 02/26/2024 17:48:58  
Tech: 4302  
SOP: 406

**Sample Analysis**

Final Weight: 1.0193 g

ANALYTE	TEST METHOD	ALLOWABLE CRITERIA	ACTUAL RESULT	PASS/FAIL
Pathogenic e. coli	qPCR	NA	NOT DETECTED	PASS

**Diana Asensio, M.S.**

Lab Director



**ACT Laboratories Florida**  
4001 SW 47th Avenue, Suite 208  
Davie, FL 33314  
(954) 514-9343



**CERTIFICATE OF ANALYSIS**

ISO/IEC: 17025:2017 Accreditation #:

103104

License #: CMTL-0004



Order #: 85511  
Retail Batch #:  
02192024

**MICROBIAL ANALYSIS**

**PASS**

**Sample Prep**

Tech: 4090  
SOP: 406

Batch Number: 62360  
Batch Date: 02/23/2024 13:01:54

**Sample Analysis**

Date/Time: 02/26/2024 17:48:58  
Tech: 4302  
SOP: 406

Final Weight: 1.0193 g

ANALYTE	TEST METHOD	ALLOWABLE CRITERIA	ACTUAL RESULT	PASS/FAIL
Aspergillus flavus	qPCR	< 1 CFU/g	NOT DETECTED	PASS
Aspergillus fumigatus	qPCR	< 1 CFU/g	NOT DETECTED	PASS
Aspergillus niger	qPCR	< 1 CFU/g	NOT DETECTED	PASS
Aspergillus terreus	qPCR	< 1 CFU/g	NOT DETECTED	PASS

**Diana Asensio, M.S.**

Lab Director



**ACT Laboratories Florida**

4001 SW 47th Avenue, Suite 208  
Davie, FL 33314  
(954) 514-9343



**CERTIFICATE OF ANALYSIS**

ISO/IEC: 17025:2017 Accreditation #:

103104

License #: CMTL-0004



Order #: 85511  
Retail Batch #:  
02192024

**WATER ACTIVITY**

Water Activity Meter  
Water: 0.610 Aw

**Sample Prep and Analysis**


Date/Time: 02/25/2024 11:45:51  
Tech: 4090  
SOP: 407  
Final Weight: 1.0689 g

**MOISTURE ANALYSIS**

Moisture: **7.97 %**

**Sample Prep and Analysis**

Date/Time: 02/25/2024 11:50:22  
Tech: 4090  
SOP: 411  
Final Weight: 0.301 g



**Diana Asensio, M.S.**

Lab Director



**ACT Laboratories Florida**

4001 SW 47th Avenue, Suite 208  
Davie, FL 33314  
(954) 514-9343



